

VOLUME 2 GENERIC AND NUCLEAR ISLAND REQUIREMENTS

CHAPTER 7 FUNCTIONAL REQUIREMENTS: COMPONENTS

Revision E
December, 2016

The EUR promoters assume no liability for any consequences of the use of any part of the EUR document by a third party.

 $$\operatorname{Page} 2$$ List and status of the sections of the Chapter 2.7 Revision E of December, 2016

| FUNCTIONAL REQUIREMENTS: COMPONENTS | | | |
|-------------------------------------|----------|---|-------------|
| Section | n Number | Section Title | Last change |
| 2.7 | 1 | INTRODUCTION | E-01 |
| 2.7 | 1.1 | Purpose | E-01 |
| 2.7 | 1.2 | Scope | E-01 |
| 2.7 | 1.3 | General equipment requirements | E-01 |
| 2.7 | 1.3.1 | Essential equipment | E-01 |
| 2.7 | 1.3.2 | Selection of equipment | E-01 |
| 2.7 | 1.3.3 | Equipment design | E-01 |
| 2.7 | 1.3.4 | Equipment identification | E-01 |
| 2.7 | 1.3.5 | Inspection, maintenance, and testing | E-01 |
| 2.7 | 1.3.6 | Interchangeability | E-01 |
| 2.7 | 1.3.7 | Equipment qualification | E-01 |
| 2.7 | 1.4 | General functional requirements | E-01 |
| 2.7 | 2 | REACTOR COOLANT SYSTEM COMPONENTS | E-01 |
| 2.7 | 2.1 | Scope | E-01 |
| 2.7 | 2.2 | General | E-01 |
| 2.7 | 2.3 | Design conditions | E-01 |
| 2.7 | 2.3.1 | Types of damage | E-01 |
| 2.7 | 2.3.2 | Other conditions | E-01 |
| 2.7 | 2.3.3 | Component design conditions | E-01 |
| 2.7 | 2.4 | Load combination considerations | E-01 |
| 2.7 | 2.5 | Maintainability and in-service inspection | E-01 |
| 2.7 | 2.6 | Testing | E-01 |
| 2.7 | 2.7 | Steam Generators | E-01 |
| 2.7 | 2.7.1 | Functions | E-01 |
| 2.7 | 2.7.2 | General design requirements | E-01 |
| 2.7 | 2.7.2.1 | Tube bundle | E-01 |
| 2.7 | 2.7.2.2 | Other internals | E-01 |
| 2.7 | 2.7.3 | Materials | E-01 |
| 2.7 | 2.7.4 | Size | E-01 |
| 2.7 | 2.7.5 | Maintainability | E-01 |
| 2.7 | 2.8 | Pressuriser | E-01 |
| 2.7 | 2.8.1 | Functions | E-01 |
| 2.7 | 2.8.2 | Design requirements | E-01 |



Page 3
List and status of the sections of the Chapter 2.7 Revision E of December, 2016
FUNCTIONAL REQUIREMENTS: COMPONENTS

| Section | n Number | Section Title | Last change |
|---------|----------|--|-------------|
| 2.7 | 2.8.2.1 | Sizing | E-01 |
| 2.7 | 2.8.2.2 | Spray system | E-01 |
| 2.7 | 2.8.2.3 | Heaters | E-01 |
| 2.7 | 2.8.2.4 | Surge line | E-01 |
| 2.7 | 2.9 | Nozzles | E-01 |
| 2.7 | 3 | VALVES | E-01 |
| 2.7 | 3.1 | Scope | E-01 |
| 2.7 | 3.2 | General | E-01 |
| 2.7 | 3.3 | Design conditions | E-01 |
| 2.7 | 3.4 | Valve technical information | E-01 |
| 2.7 | 3.5 | Design requirements | E-01 |
| 2.7 | 3.6 | Minimisation of leaks | E-01 |
| 2.7 | 3.7 | Isolation valves | E-01 |
| 2.7 | 3.8 | Gate valves | E-01 |
| 2.7 | 3.9 | Control valves | E-01 |
| 2.7 | 3.10 | Check valves | E-01 |
| 2.7 | 3.11 | Safety valves (overpressure protection) | E-01 |
| 2.7 | 3.12 | Relief valves | E-01 |
| 2.7 | 3.13 | Testing | E-01 |
| 2.7 | 3.14 | Noise | E-01 |
| 2.7 | 4 | VALVE ACTUATORS | E-01 |
| 2.7 | 4.1 | General | E-01 |
| 2.7 | 4.2 | Design conditions | E-01 |
| 2.7 | 4.3 | Selection of actuators | E-01 |
| 2.7 | 4.4 | Manual operation and locking | E-01 |
| 2.7 | 4.5 | Control and testing | E-01 |
| 2.7 | 4.6 | Pneumatic actuators | E-01 |
| 2.7 | 4.7 | Protection of valves | E-01 |
| 2.7 | 5 | PUMPS | E-01 |
| 2.7 | 5.1 | Scope | E-01 |
| 2.7 | 5.2 | General | E-01 |
| 2.7 | 5.3 | Design conditions | E-01 |
| 2.7 | 5.4 | Pump sizing | E-01 |
| 2.7 | 5.5 | Non-permitted or non-recommended pump applications | E-01 |



Page 4
List and status of the sections of the Chapter 2.7 Revision E of December, 2016
FUNCTIONAL REQUIREMENTS: COMPONENTS

| Section | n Number | Section Title | Last change |
|---------|----------|--|-------------|
| 2.7 | 5.6 | Minimum flow operation | E-01 |
| 2.7 | 5.7 | Interchangeability | E-01 |
| 2.7 | 5.8 | Orifices | E-01 |
| 2.7 | 5.9 | Suction conditions | E-01 |
| 2.7 | 5.10 | Pump-circuit interaction | E-01 |
| 2.7 | 5.11 | Rotational speed | E-01 |
| 2.7 | 5.12 | Seals and bearings | E-01 |
| 2.7 | 5.13 | Pump in-service testing | E-01 |
| 2.7 | 5.14 | Noise | E-01 |
| 2.7 | 5.15 | Vibrations | E-01 |
| 2.7 | 5.16 | Minimum NPSH | E-01 |
| 2.7 | 5.17 | Specific requirements for RCS pumps | E-01 |
| 2.7 | 5.18 | Specific requirements for RHR pumps | E-01 |
| 2.7 | 5.19 | Specific requirements for SIS pumps | E-01 |
| 2.7 | 5.20 | Specific requirements for condensate pumps | E-01 |
| 2.7 | 5.21 | Specific requirements for EFW pumps | E-01 |
| 2.7 | 5.22 | Specific requirements for feed-water pumps | E-01 |
| 2.7 | 5.23 | Specific requirements for canned-motor pumps | E-01 |
| 2.7 | 5.23.1 | Bases for selection | E-01 |
| 2.7 | 5.23.2 | Design life | E-01 |
| 2.7 | 5.23.3 | Normal design requirements | E-01 |
| 2.7 | 5.23.4 | Inspection and maintainability requirements | E-01 |
| 2.7 | 6 | HEAT EXCHANGERS | E-01 |
| 2.7 | 6.1 | Scope | E-01 |
| 2.7 | 6.2 | Design conditions | E-01 |
| 2.7 | 6.3 | Start-up conditions | E-01 |
| 2.7 | 6.4 | Type of equipment | E-01 |
| 2.7 | 6.5 | Noise | E-01 |
| 2.7 | 6.6 | Vibration | E-01 |
| 2.7 | 6.7 | Equipment sizing | E-01 |
| 2.7 | 6.8 | Design pressure | E-01 |
| 2.7 | 6.9 | Hydraulic design | E-01 |
| 2.7 | 6.10 | Equipment arrangement | E-01 |
| 2.7 | 6.11 | Man-holes and hand-holes | E-01 |



Page 5
List and status of the sections of the Chapter 2.7 Revision E of December, 2016
FUNCTIONAL REQUIREMENTS: COMPONENTS

| Section | n Number | Section Title | Last change |
|---------|----------|--------------------------------------|-------------|
| 2.7 | 7 | TANKS | E-01 |
| 2.7 | 7.1 | Scope | E-01 |
| 2.7 | 7.2 | Equipment type | E-01 |
| 2.7 | 7.3 | Radioactive fluids | E-01 |
| 2.7 | 7.4 | Access and maintenance | E-01 |
| 2.7 | 8 | BOLTED JOINTS and THREADED FASTENERS | E-01 |
| 2.7 | 8.1 | Scope | E-01 |
| 2.7 | 8.2 | General | E-01 |
| 2.7 | 8.3 | Design requirements | E-01 |
| 2.7 | 9 | PIPEWORK AND FITTINGS | E-01 |
| 2.7 | 9.1 | Scope | E-01 |
| 2.7 | 9.2 | General requirements | E-01 |
| 2.7 | 9.3 | Radioactive pipework | E-01 |
| 2.7 | 9.4 | Flow restrictors | E-01 |
| 2.7 | 9.4.1 | Sizing | E-01 |
| 2.7 | 9.4.2 | Location | E-01 |
| 2.7 | 9.4.3 | Design | E-01 |
| 2.7 | 10 | FILTERS AND ION EXCHANGERS | E-01 |
| 2.7 | 10.1 | Scope | E-01 |
| 2.7 | 10.2 | General | E-01 |
| 2.7 | 10.3 | Filters | E-01 |
| 2.7 | 10.3.1 | Performance | E-01 |
| 2.7 | 10.3.2 | Type of filters | E-01 |
| 2.7 | 10.3.3 | Cartridge filters | E-01 |
| 2.7 | 10.3.4 | Back-washable type filters | E-01 |
| 2.7 | 10.4 | lon exchangers | E-01 |
| 2.7 | 10.4.1 | Туре | E-01 |
| 2.7 | 10.4.2 | Resin characteristics | E-01 |
| 2.7 | 10.4.3 | lon exchange vessel | E-01 |
| 2.7 | 11 | FUEL | E-01 |
| 2.7 | 11.1 | Scope | E-01 |
| 2.7 | 11.2 | General | E-01 |
| 2.7 | 11.3 | Main functional requirements | E-01 |
| 2.7 | 11.4 | Compatibility requirements | E-01 |



Page 6

List and status of the sections of the Chapter 2.7 Revision E of December, 2016 FUNCTIONAL REQUIREMENTS: COMPONENTS

| Sectio | n Number | Section Title | Last change |
|--------|----------|---|-------------|
| 2.7 | 11.5 | Mechanical design | E-01 |
| 2.7 | 11.6 | Materials — | E-01 |
| 2.7 | 11.7 | Fretting corrosion | E-01 |
| 2.7 | 11.8 | Fuel cladding collapse and lift-off | E-01 |
| 2.7 | 11.9 | Irradiation growth | E-01 |
| 2.7 | 11.10 | Fuel assembly and fuel box deformation | E-01 |
| 2.7 | 11.11 | Handling and storage | E-01 |
| 2.7 | 11.12 | Fuel assembly repair | E-01 |
| 2.7 | 12 | ELECTRICAL EQUIPMENT | E-01 |
| 2.7 | 12.1 | Scope | E-01 |
| 2.7 | 12.2 | Design environmental conditions | E-01 |
| 2.7 | 12.3 | Design requirements | E-01 |
| 2.7 | 12.3.1 | General rules for electrical equipment design | E-01 |
| 2.7 | 12.3.2 | Medium Voltage(MV) system | E-01 |
| 2.7 | 12.3.3 | Cables | E-01 |
| 2.7 | 12.3.4 | Electrical drives (motors and valve actuators) | E-01 |
| 2.7 | 12.3.5 | Transformers | E-01 |
| 2.7 | 12.3.6 | Direct Current (DC) and charging systems | E-01 |
| 2.7 | 12.3.7 | DC-DC converters | E-01 |
| 2.7 | 12.3.8 | Uninterruptible power supply | E-01 |
| 2.7 | 12.3.9 | Electrical containment penetrations | E-01 |
| 2.7 | 13 | DIESEL GENERATORS AND OTHER POWER SUPPLIES | E-01 |
| 2.7 | 13.1 | Scope | E-01 |
| 2.7 | 13.2 | Sizing | E-01 |
| 2.7 | 13.2.1 | Power rating | E-01 |
| 2.7 | 13.2.2 | Instrumentation and control principles | E-01 |
| 2.7 | 13.2.3 | Operating conditions and performance | E-01 |
| 2.7 | 13.2.3.1 | Start-up, loading and unloading | E-01 |
| 2.7 | 13.2.3.2 | Steady-state operation | E-01 |
| 2.7 | 13.2.3.3 | Synchronised operation with the electrical power system | E-01 |
| 2.7 | 13.2.3.4 | Transient operation | E-01 |
| 2.7 | 13.2.3.5 | Life-time | E-01 |
| 2.7 | 13.3 | Basic rules governing ancillary systems | E-01 |
| 2.7 | 13.4 | Specific rules governing ancillary systems | E-01 |



Page 7
List and status of the sections of the Chapter 2.7 Revision E of December, 2016
FUNCTIONAL REQUIREMENTS: COMPONENTS

| C .* | N/ / | | |
|------|----------|--|-------------|
| | n Number | Section Title | Last change |
| 2.7 | 13.4.1 | Fuel oil system | E-01 |
| 2.7 | 13.4.2 | Lubricating oil and cooling water systems | E-01 |
| 2.7 | 13.4.3 | Air starting system | E-01 |
| 2.7 | 13.4.4 | Combustion air system | E-01 |
| 2.7 | 13.4.5 | Fire protection | E-01 |
| 2.7 | 14 | HVAC EQUIPMENT | E-01 |
| 2.7 | 14.1 | Scope | E-01 |
| 2.7 | 14.2 | General | E-01 |
| 2.7 | 14.3 | Ventilation ducts | E-01 |
| 2.7 | 14.4 | Fans | E-01 |
| 2.7 | 14.5 | Filtering equipment | E-01 |
| 2.7 | 14.6 | Heating and cooling equipment | E-01 |
| 2.7 | 14.7 | Dampers | E-01 |
| 2.7 | 15 | HANDLING EQUIPMENT IN THE NUCLEAR ISLAND | E-01 |
| 2.7 | 15.1 | Scope | E-01 |
| 2.7 | 15.2 | General | E-01 |
| 2.7 | 15.3 | Principal Functional requirements | E-01 |
| 2.7 | 15.3.1 | Functions | E-01 |
| 2.7 | 15.3.2 | Special criteria concerning the reactor building polar crane | E-01 |
| 2.7 | 15.3.3 | Functional characteristics | E-01 |
| 2.7 | 15.4 | Mechanical design | E-01 |
| 2.7 | 15.4.1 | Devices which prevent an impact on safety functions | E-01 |
| 2.7 | 15.4.2 | Other handling equipment | E-01 |
| 2.7 | 15.5 | Design of electrical instrumentation and control equipment | E-01 |
| 2.7 | 15.6 | Testing | E-01 |
| 2.7 | 16 | HANDLING EQUIPMENT IN THE POWER GENERATION PLANT | E-01 |
| 2.7 | 16.1 | Scope | E-01 |
| 2.7 | 16.2 | General | E-01 |
| 2.7 | 16.3 | Principal functional requirements | E-01 |
| 2.7 | 16.3.1 | Functions | E-01 |
| 2.7 | 16.3.2 | Functional characteristics | E-01 |
| 2.7 | 16.4 | Mechanical design | E-01 |
| 2.7 | 16.4.1 | General | E-01 |
| 2.7 | 16.4.2 | Special requirements for main travelling cranes | E-01 |



Page 8

List and status of the sections of the Chapter 2.7 Revision E of December, 2016 FUNCTIONAL REQUIREMENTS: COMPONENTS

| Section | n Number | Section Title | Last change |
|---------|----------|--|-------------|
| 2.7 | 16.5 | Design of electrical instrumentation and control equipment | E-01 |
| 2.7 | 16.6 | Tests | E-01 |

